

ADSL Routers Configuration

How to configure Internet on Aztech 305EU?

Aztech 305EU

Open your Internet Browser. Go to *http://10.0.0.2* (Don't use proxy).

Username: admin

Password: (no password)

Enter.

http://10.0.0.2/ · Microsoft Intern	et Explorer	
File Edit. View Favorites Tools H	elo	>> Links >> 🥂 🗶
🔇 Back • 🐑 · 💌 🗟 ổ	🔎 Search 👷 Favorites 🕢 🍰 🔯	🔜 🚭 🚳
Address Address Address Address Address		💙 🄁 Go 🛁
mywebsearch +	P Search 🔹 💷 Screensavers 🙄 Smley Centra	🕨 Cursor Mania 🕕 My Info 🛛 🔭 🧮
Web Server Error Report.	Connect to 10.0.0.2 2	×
Server Error: 40	Home Gateway	
Access denied	Bassword:	
/doc/index.htm	OK Cancel	
Opening page http://10.0.0.2/		♥ 2 0 2 1 2
🐮 start 🔰 🔊 🖄 🗐 🤏	🗿 🛛 Document 1 - Microsof 🛛 🎒 http://10.0.0.2/ - Mi	🔊 🕫 🌒 📽 🚱 🍇 12:15 PM



ADSL Routers Configuration

Connect to 10.0	.0.2 ? 🔀
R	GR
Home Gateway <u>U</u> ser name: <u>P</u> assword:	admin Admin Remember my password
	OK Cancel

Type admin and click ok (No password).

File Edt Very Enverter	Teals Halo	пет тхрюгег	1	20 C	
Die Enr Tiew Lännunge	Toos Heb			. 1 1110	-
🌀 Back 🔹 🌍 🔹 💌	🔊 🞧 🎾 Se	arch 🎌 Favorites 🚱	🗟 · 🍓 🖻 · 🛄 🤻	3-35	
ddress 🚵 http://10.0.0.2/				× 🔁	Go
mywebsearch •		- P Search • 🖳 Screens	avers 😃 Smiley Central 🕨 Cursor	r Mania 🕕 My Info	-
	^				1
Quick Start	Login S	ettings			
 Login Status 	Logino	cungs			
Login Settings	Welcome		amount and assessed to	ant connected	
• Diagnostic rest	to the Inte	ernet.	emanie and password () get connecteu	
Overall Status	= Ilcomamo	uuuuu			
ATM Status	osemane.	00000			
PPP Status	Password:				
TCP Status	Protocol:	PPPoA VC-Mux V			
 System Lag 	VPI:	0			
Advanced	VCI;	50			
Configurations.		_			
NAT	Connect				
Port Forwarding					
Admin Password	*				
				Internet	-



ADSL Routers Configuration

Type Username & password, Protocol PPPoA VC-Mux , VPI 0 and VCI 50, then click connect.



You can start browsing.